


# IP POE horn Speaker hi power 30W

**GIPHS30W** 30Watt IP horn speaker (varenr. 22640)



## Features

- ✓ High-quality horn IP speaker with loud sound, long penetration and Wery clear sound
- ✓ Smart **alarm** broadcast with GUARDEON NVR series, video and audio linkage, AI & I/O events
- ✓ Built in storage, support uploading custom audio MP3, WAV files
- ✓ Hvid Support two-way audio from CMS, APP, NVR
- ✓ ONVIF; RTSP; RTP; LAPI interface
- ✓ Multi interface input (2 x alarm IN & IP & Audio)
- ✓ Support **PoE** power supply & 12/24Vdc
- ✓ **NDAA** compliant




## Specifications

Speaker	Description
Rated Power	30 W
Max. Acoustic Pressure	130 dB SPL
Frequency Response	300 Hz to 12.5 kHz
Impedance	8 Ω
Material	Description
Material	ABS Plastic


Network	Description
Network Protocol	IPv4; HTTP; HTTPS; SSL/TLS; DNS; TCP; UDP; DHCP; UPnP; ARP; SSH
Interface Protocol (API)	<b>ONVIF</b> ; RTSP; RTP; LAPI
Browser	Windows: Firefox (version 87 and above), Chrome (version 90 and above), Edge (version 90 and above); MAC: Safari (version 17 and above)
Build in Mic	Description
Amount	1
Frequency Response	100 Hz to 8 kHz
Sensitivity	-37 dB V/Pa
Sampling Rate	8 kHz
Quantization Bits	16 bit
Audio	Description
Broadcast	Regular Broadcast, Live Broadcast, Alarm Broadcast
Two-Way Audio	Support
Audio Compression	G.711U
Audio File Format	MP3, WAV
Audio File Size	2 KB ≤ Audio File Size ≤ 10 MB
Audio File Storage	64 MB
Audio File Number	100 (Include system built-in files)
Language	Description
Language	Danish, Swedish, Norwegian, Finnish,
Interface	Description
Network Interface	1 RJ45 10M/100M self-adaptive Ethernet Interface
Audio In	1, RCA
Alarm In	2
Power Supply	PoE (IEEE 802.3at); DC 24V/1.4A; DC 12V/2.5A (30watt)
Working Environment	Description
Working Temperature	-30 °C ~ 55 °C (-22 °F ~ 131 °F)
Working Humidity	≤ 90% RH (non-condensing)

Dimensions	Description
Dimensions	282 mm × 205 mm × 285 mm (11.1"×8.1"×11.2")
Approval	Description
Protection	IP66 in and outside use

## Dimensions



## Cable Interfaces:



\*Product specifications and availability are subject to change without notice.

\*Despite our best efforts, technical or typographical errors may exist in this document. Guardeon cannot be held responsible for any such errors and reserves the right to change the contents of this document without prior notice.

